Message

From: Cirian, Mike [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=98D0FD2CBB3F4F25B819C6929E18D08D-CIRIAN, MIKE]

Sent: 6/2/2017 4:17:19 PM
To: lidewitt@mt.gov
Subject: FW: MDEQ Approval

Attachments: 01 - WMP _CFAC_Planschedule_ApprovalLtr_062416.pdf

Mike Cirian, PE Libby On-site Project Manager US EPA 108 East 9th Street Libby, MT 59923 (406) 293-6194 Office

From: Cirian, Mike

Sent: Thursday, June 1, 2017 1:01 PM **To:** 'Stoops, Thomas' <TStoops@mt.gov>

Subject: FW: MDEQ Approval

Hi Tom,

Attached is the plan approval, referencing EPA involvement in bullet #5. Let me know what you think?

Mike

Mike Cirian, PE Libby On-site Project Manager US EPA 108 East 9th Street Libby, MT 59923 (406) 293-6194 Office

From: Michael Ritorto [mailto:mritorto@rouxinc.com]

Sent: Thursday, June 1, 2017 12:53 PM **To:** Cirian, Mike < <u>Cirian.Mike@epa.gov</u>>


Subject: MDEQ Approval

Look at bullet #5.

Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.

209 Shafter Street, Islandia, NY 11749 Main: 631-232-2600 | Direct: 631-630-2370

Email: mritorto@rouxinc.com | Website: www.rouxinc.com



We solve our clients' most challenging environmental problems

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.